



Introduction

Respected Sir,

We would like to introduce ourselves as a Leading Distributors for LT & HT Wires, cables, Conductors & Jointing Kits for Below Mention Brands, we have full stock of Various Cables in Lohar Chawl (Mumbai) as well Bhiwandi & Pune. Please feel Free to Contact us for any of your below mentioned Requirements

- **LT / HT Cables/ EHV cables:** POLYCAB / HAVELLS / FINOLEX / DIAMOND
- **PVC Flexible Cables:** POLYCAB / FINOLEX / HAVELLS / RR KABEL
- **FIBRE OPTICS CABLES :** USHA MARTIN / STERLITE / RPG / APAR
- **Solar cables:** POLYCAB / APAR-ANUSHAKTI / RAVIN
- **Screen / Shielded Cables:** EVERTOP / POLYCAB
- **Rubber / Pendent Cables:** POLYCAB / UNISTAR / UNICAB / PLATIMA
- **Instrumentation cables:** POLYCAB / BELDEN / EVERTOP
- **RTD Cables :** POLYCAB / EVERTOP / THERMOCABLE
- **Telephone Cables:** EVERTOP / UM / RPG / STERLITE
- **Compensating/Teflon cables:** EVERTOP / THERMOCABLE
- **Cable Jointing Kits :** RAYCHEM / 3M / XICON / GRIPSIL
- **Cable Trays :** EVERTOP
- **LT / HT Joint Tapes:** 3M / RAYCHEM / SCAPA
- **LAN Cables:** POLYCAB / D-LINK / MOLEX / SYSTEMAX
- **Profibus / Modbus Cables:** BELDEN
- **LIFT / CCTV Camera Cables:** EVERTOP

Please give us a Chance to Serve your Esteemed Organization

Thanking you,

Hitesh Electric Corporation

Hitesh Electric Corporation



17/C, Tavawala Bldg., 1st Flr., 147, Lohar Chawl, Pathakwadi, MUMBAI-400 002.
Tel. : 3956 7124 • 3956 7014 • Telfax : 2209 6880 • TALKFREE : *014 • *124
E-Mail : hiteshntp@gmail.com

Authorised Distributors :



PRICE-LIST

Dated : 1st SEPTEMBER 2015
W.E.F. : 7th SEPTEMBER 2015

PVC ARMoured Cables with COPPER Conductor 650/1100 V. Grade confirming to IS : 1554 (Pt-1) 1988

PVC/XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 1554 (Part-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY

ALUMINIUM ARMoured CABLES • A2XWY/A2XFY

NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	COPPER ARMoured CABLES • 2XWY/2XFY		
				2 CORE	3 CORE	4 CORE
2	135.00	176.00	4	233.00	302.00	384.00
3	166.00	227.00	6	314.00	417.00	536.00
4	200.00	282.00	10	475.00	649.00	837.00
5	236.00	337.00	16	676.00	919.00	1206.00
6	270.00	393.00	CROSS SECTION IN SQ. MM.			
7	299.00	443.00	25	1516.00	1824.00	1997.00
8	323.00	476.00	35	2088.00	2396.00	2753.00
9	367.00	538.00	50	2844.00	3326.00	3768.00
10	429.00	584.00	70	4038.00	4707.00	5344.00
12	494.00	685.00	95	5800.00	6776.00	7689.00
14	563.00	790.00	120	7288.00	8684.00	9678.00
16	582.00	889.00	150	9098.00	10493.00	12079.00
19	675.00	1044.00	185	11196.00	13088.00	14854.00
24	844.00	1307.00	240	14423.00	16813.00	19145.00
27	941.00	1454.00	300	17955.00	20944.00	23855.00
30	1078.00	1678.00	400	23563.00	27249.00	31301.00
37	1315.00	2044.00				
44	1555.00	2439.00				
52	1818.00	2855.00				
61	2121.00	3324.00				

Cross Section in SQ. MM.	ALUMINIUM ARMoured CABLES • A2XWY/A2XFY				
	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	108.00	124.00	-----	144.00
4	-----	117.00	136.00	-----	155.00
6	-----	136.00	160.00	-----	180.00
10	-----	171.00	200.00	-----	227.00
16	109.00	201.00	211.00	-----	257.00
25	132.00	207.00	275.00	317.00	341.00
35	159.00	254.00	348.00	391.00	433.00
50	193.00	316.00	436.00	504.00	557.00
70	245.00	421.00	588.00	684.00	751.00
95	277.00	542.00	751.00	851.00	937.00
120	333.00	646.00	897.00	1062.00	1159.00
150	396.00	779.00	1106.00	1260.00	1413.00
185	484.00	969.00	1351.00	1568.00	1758.00
240	593.00	1207.00	1729.00	1976.00	2242.00
300	722.00	1473.00	2090.00	2423.00	2727.00
400	907.00	1853.00	2657.00	3081.00	3468.00

H. T. XLPE ARMoured ALUMINIUM CABLES

RATE PER METER

Cond. Cross Section in SQ. MM.	3.3 KV (E/UE)	6.6 KV (E)	6.6 KV (UE) 11 KV (E)	11 KV (UE)	22 KV (E)	33 KV (E)
3 x 35	784.00	865.00	952.00	-----	-----	-----
3 x 50	912.00	984.00	1078.00	-----	-----	-----
3 x 70	1105.00	1188.00	1281.00	1663.00	1780.00	-----
3 x 95	1340.00	1426.00	1530.00	1933.00	2058.00	2682.00
3 x 120	1576.00	1666.00	1765.00	2195.00	2328.00	3057.00
3 x 150	1780.00	1880.00	1970.00	2424.00	2567.00	3315.00
3 x 185	2098.00	2188.00	2293.00	2775.00	2906.00	3698.00
3 x 240	2543.00	2649.00	2752.00	3263.00	3405.00	4228.00
3 x 300	3004.00	3157.00	3203.00	3755.00	3906.00	4751.00
3 x 400	3651.00	3951.00	4021.00	4414.00	4599.00	5501.00

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES UPTO 11KV (E) ADD 25% & FOR 11 KV (UE) & ABOVE ADD 27.5% IN ABOVE RATES.



PRICE-LIST POLYCAB INDUSTRIAL FLEXIBLE CABLES

'POLYCAB' P.V.C. insulated unsheathed bright annealed bare copper conductor single core industrial cables & PVC insulated, PVC round sheathed multicore industrial Cables for voltage grade upto 1100 V. as per IS 694:1990. **(RATE PER METER)**

COND. AREA SQ.MM.	COND. CONST. (NO./DIA. MM.)	AMPS.	SINGLE CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE			
0.50	16/0.20	05	5.65	17.70	23.85	30.65	39.95	47.30	54.60	79.50	92.20	108.00	121.00	142.00	180.00			
0.75	24/0.20	08	7.95	23.60	32.15	40.00	55.80	68.35	73.60	111.00	131.00	152.00	176.00	204.00	259.00			
1.00	32/0.20	13	10.35	28.15	38.75	50.60	73.75	86.10	99.50	140.00	167.00	196.00	220.00	264.00	332.00			
1.50	30/0.25	17	15.00	38.10	53.45	70.95	96.00	117.00	135.00	194.00	231.00	268.00	302.00	360.00	452.00			
2.50	50/0.25	24	24.70	60.70	85.60	113.00	158.00	191.00	218.00	315.00	377.00	435.00	500.00	584.00	733.00			
4.00	56/0.30	30	38.80	89.85	128.00	168.00	240.00	302.00	389.00	566.00	694.00	-----	-----	-----	-----			
6.00	84/0.3	38	56.25	135.00	195.00	253.00	371.00	445.00	519.00	-----	-----	-----	-----	-----	-----			
10.00	80/0.4	52	97.50	230.00	332.00	430.00	632.00	POLYCAB INDUSTRIAL FLEXIBLE (FRLS) INSULATED CABLES • (Rate Per Meter)										
16.00	126/0.4	70	158.00	366.00	527.00	693.00	985.00									SIZE SQ. MM.	SINGLE CORE	SIZE SQ. MM.
25.00	196/0.4	88	248.00	710.00	965.00	1270.00	1670.00	0.50	6.01	50	520.16	0.50	16/.2	5	18.92	26.29	33.43	
35.00	276/0.4	110	343.00	969.00	1338.00	1755.00	2307.00	0.75	8.42	70	722.55	0.75	24/.2	8	25.44	35.28	45.87	
50.00	396/0.4	145	489.00	1403.00	1905.00	2550.00	3343.00	1.00	11.07	95	1011.01	1.00	32/.2	13	31.30	43.60	56.98	
70.00	354/0.5	215	680.00	2000.00	2740.00	3562.00	4664.00	1.50	15.98	120	1289.06	1.50	30/.25	17	41.52	58.26	77.93	
95.00	484/0.5	260	952.00	2700.00	3754.00	4957.00	6437.00	2.50	26.29	150	1611.56	2.50	50/.25	24	66.34	93.16	122.95	
120.00	608/0.5	305	1214.00	3418.00	4764.00	6391.00	8360.00	4.00	41.75	185	1986.08	4.00	56/.3	30	99.30	141.86	187.26	
150.00	750/0.5	355	1519.00	4266.00	5918.00	7817.00	10240.00	6.00	59.35	240	2580.01	6.00	84/.3	38	149.43	212.79	281.83	
185.00	925/0.5	415	1871.00	5259.00	7190.00	9531.00	12499.00	10.00	102.14	300	3224.06	10.00	80/.4	52	251.57	365.06	480.44	
240.00	1210/0.5	500	2433.00	6827.00	9488.00	12538.00	16467.00	16.00	166.45	400	4383.55	16.00	126/.4	70	397.22	576.91	760.38	
300.00	1527/0.5	585	3035.00	8533.00	11832.00	15684.00	20479.00	25.00	264.81	-----	-----	25.00	196/.4	88	779.88	1076.70	1416.20	
400.00	2036/0.5	695	4128.00	11377.00	15577.00	20647.00	27167.00	35.00	364.11	-----	-----	35.00	276/.4	110	1060.21	1490.89	1956.49	
													50.00	396/.4	145	1538.42	2122.36	2841.13
													70.00	354/.5	215	2191.23	3051.62	3967.30

POLYCAB TELEPHONE & SWITCHBOARD CABLES			
NO. OF PAIRS	UN-ARMOURED (0.50 MM.)	ARMOURED (0.50 MM.)	Un-ARMOURED (0.40 MM.)
RATE PER METER			
1	7.20	-----	6.00
2	12.60	41.50	9.55
3	18.40	-----	14.05
4	24.15	-----	18.00
5	30.15	68.25	22.50
10	57.55	102.00	-----
20	111.00	172.00	-----
50	306.00	414.00	-----
100	585.00	756.00	-----

POLYCAB JELLYFILLED TELEPHONE CABLES		
NO. OF PAIRS	UN- ARMOURED (0.50 MM.)	ARMOURED (0.50 MM.)
RATE PER METER		
5	52.00	98.00
10	87.00	135.00
20	153.00	207.00
50	341.00	432.00
100	675.00	764.00
200	1348.00	1438.00

POLYCAB INDUSTRIAL BRAIDED - UNARMOURED SCREENED CABLES							
CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	48/.20 MM.	80/.20 MM.	54/.30 MM.	84/.30 MM.
	0.5 Sq.MM.	0.75 Sq.MM.	1.0 Sq.MM.	1.5 Sq.MM.	2.5 Sq.MM.	4 Sq. MM.	6 Sq. MM.
2	50.08	64.37	71.47	91.70	126.77	189.70	243.64
3	61.68	78.67	83.97	111.48	166.32	245.44	315.57
4	77.77	96.20	106.99	139.35	217.57	289.50	457.62
6	106.99	138.45	152.84	208.58	312.87	-----	-----
7	114.18	150.14	169.02	223.86	361.42	-----	-----
8	135.76	177.11	184.31	256.23	409.07	-----	-----
10	162.73	217.57	242.74	324.56	475.60	-----	-----
12	187.00	243.64	270.62	378.50	530.44	-----	-----
14	203.19	278.71	290.39	443.23	616.75	-----	-----
16	235.55	307.48	353.33	487.29	709.35	-----	-----
19	269.72	359.62	416.26	578.99	974.57	-----	-----
24	333.55	427.05	521.45	714.75	1185.85	-----	-----

"POLYCAB" CO-AXIAL CABLES			
ITEM	RATE PER COIL OF		
	100 Mtrs.	305 Mtrs.	PER Mtr.
	Unarmoured	Unarmoured	Armoured
RG-59	1825	5565	74.15
RG-06 CCS	1505	4595	69.40
RG-06	2370	7225	83.00
RG-11	4915	15020	118.83
RG-11 CCS	3015	9185	-----

POLYCAB LAN (COMPUTER CABLES)				
SIZE	UTP UNARMOURED (Rate Per 305 Mtrs.)	UTP ARMOURED (Rate Per Mtrs.)	STP UNARMOURED (Rate Per 305 Mtrs.)	STP ARMOURED (Rate Per Mtrs.)
CAT-5E	8515	66.40	11040	78.95
CAT-6	10155	80.70	12875	90.35

POLYCAB 3 CORE FLAT SUBMERSIBLE CABLES		
Conductor Area SQ. MM.	Conductor Construction (No./Dia. mm.)	RATE PER METER
1.50	22/.3	58.50
2.50	36/.3	91.00
4.00	56/.3	134.00
6.00	84/0.3	218.00
10.00	80/0.4	371.00
16.00	126/0.4	609.00
25.00	196/0.4	975.00

CCTV CABLES			
SIZE	RATE PER 90 MTRS. COIL	RATE PER 180 MTRS. COIL	RATE PER 300 MTRS. COIL
3 + 1	3340	6680	11133
4 + 1	3800	7600	12666
POLYCAB INDUSTRIAL SPEAKER WIRE OXYGEN FREE (Rate Per 90 Meters)	SIZE	RATE	
	23/38	1135	
	40/38	1885	
	70/38	2960	

INDUSTRIAL CABLE (MULTISTRAND)								
SQ. MM.	AMP.	RATE PER COIL						
		FR (90 Mtrs)	FR (180 Mtrs)	FR (200 Mtrs)	FR (300 Mtrs)	FRLSH (180 Mtrs)	FRLSH (200 Mtrs)	FRLSH (300 Mtrs)
0.75	7	730	-----	-----	2440	-----	-----	2565
1.00	12	950	1900	-----	3170	2000	-----	3330
1.50	16	1415	2830	-----	4700	2975	-----	4955
2.50	22	2270	4540	-----	7565	4780	-----	7965
4.00	29	3375	6750	7500	-----	7100	7890	-----
6.00	37	5005	10010	11125	-----	10480	11645	-----
10.00	45	8855	-----	19675	-----	-----	20725	-----
16.00	68	14170	-----	31495	-----	-----	33215	-----

POLYCAB WELDING CABLES TPR Insulation as per IS 9857		
Conductor Area SQ. MM.	Current Carrying Capacity	RATE PER METER
16.00	120	214.00
25.00	160	307.00
35.00	230	419.00
50.00	400	593.00
70.00	600	846.00
95.00	700	1117.00

TERMS & CONDITIONS : PRICE-LIST • W.E.F. : 18th JANUARY 2016

(1) The above rates are exclusive of all taxes. (2) Subject to change without prior notice. (3) This cancels all our previous price-lists.



PRICE-LIST POLYCAB INSTRUMENTATION CABLES

(RATE PER METER)

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

Str/Solid Cu PVC/XLPE Insulated Pair/Triad/Quad laid up together with Al Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable

OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES

OVERALL SHIELDED-UNARMOURED INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	63	0.75	73	1	81	1.5	98	2.5	135	PAIR	1	0.5	40	0.75	48	1	58	1.5	69	2.5	97
PAIR	2	0.5	98	0.75	117	1	135	1.5	162	2.5	225	PAIR	2	0.5	62	0.75	79	1	97	1.5	135	2.5	184
PAIR	3	0.5	117	0.75	135	1	162	1.5	207	2.5	306	PAIR	3	0.5	81	0.75	106	1	135	1.5	174	2.5	261
PAIR	4	0.5	135	0.75	162	1	207	1.5	260	2.5	377	PAIR	4	0.5	97	0.75	135	1	174	1.5	223	2.5	339
PAIR	5	0.5	153	0.75	189	1	243	1.5	315	2.5	458	PAIR	5	0.5	126	0.75	165	1	243	1.5	271	2.5	417
PAIR	6	0.5	171	0.75	225	1	279	1.5	360	2.5	539	PAIR	6	0.5	145	0.75	184	1	261	1.5	330	2.5	494
PAIR	7	0.5	189	0.75	252	1	315	1.5	405	2.5	611	PAIR	7	0.5	155	0.75	213	1	271	1.5	368	2.5	571
PAIR	8	0.5	225	0.75	279	1	360	1.5	467	2.5	701	PAIR	8	0.5	174	0.75	232	1	319	1.5	417	2.5	649
PAIR	10	0.5	260	0.75	341	1	432	1.5	558	2.5	854	PAIR	10	0.5	213	0.75	300	1	387	1.5	523	2.5	814
PAIR	12	0.5	296	0.75	387	1	494	1.5	656	2.5	989	PAIR	12	0.5	252	0.75	349	1	455	1.5	620	2.5	959
PAIR	14	0.5	332	0.75	441	1	566	1.5	746	2.5	1142	PAIR	14	0.5	280	0.75	397	1	523	1.5	707	2.5	1104
PAIR	16	0.5	377	0.75	494	1	629	1.5	845	2.5	1304	PAIR	16	0.5	330	0.75	445	1	601	1.5	814	2.5	1259
PAIR	19	0.5	422	0.75	575	1	746	1.5	980	2.5	1510	PAIR	19	0.5	378	0.75	532	1	697	1.5	949	2.5	1482
PAIR	24	0.5	522	0.75	710	1	917	1.5	1231	2.5	1897	PAIR	24	0.5	465	0.75	658	1	872	1.5	1191	2.5	1878
TRAID	1	0.5	75	0.75	90	1	108	1.5	126	2.5	171	TRAID	1	0.5	49	0.75	61	1	75	1.5	95	2.5	145
QUAD	1	0.5	86	0.75	108	1	126	1.5	144	2.5	207	QUAD	1	0.5	58	0.75	72	1	93	1.5	126	2.5	184

TERMS & CONDITIONS :

(1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

1 PAIR = 2 CORES
1 TRAID = 3 CORES
1 QUAD = 4 CORES



PRICE-LIST

W.E.F. MAY 2015

Branch : Shop No. 1, Basement, J. K. Market, 510, Budhwar Peth, Tapkir Galli, Pune-2.
Tel. : (020) 6640 6361 • E-mail : hitesh.dvcable@gmail.com

Raychem HEAT SHRINKABLE CABLE JOINTING KIT & ACCESSORIES

SIZE	INDOOR KIT NO.	RATE	OUTDOOR KIT NO.	RATE	SIZE	ST. JOINT KIT NO.	RATE
11 KV (E) XLPE 3 CORE							
16 - 35	EPKT 3091	9558.00	EPKT 3342	15694.00	16 - 35	EPKJ 3115	26028.00
50 - 95	EPKT 3101	11844.00	EPKT 3352	18249.00	50 - 95	EPKJ 3116	29139.00
120 - 185	EPKT 3111	14175.00	EPKT 3362	19594.00	120 - 185	EPKJ 3117	38581.00
240 - 300	EPKT 3121	15121.00	EPKT 3372	22033.00	240 - 400	EPKJ 3118	42195.00
400	EPKT 3131	15971.00	EPKT 3382	23173.00	-----	-----	-----
22 KV (E) XLPE 3 CORE							
16 - 50	EPKT 5092	12231.00	EPKT 5343	19991.00	25 - 50	EPKJ 5115	47206.00
70 - 120	EPKT 5102	15156.00	EPKT 5353	24524.00	70 - 95	EPKJ 5116	55134.00
150 - 185	EPKT 5112	18514.00	EPKT 5363	28090.00	120 - 150	EPKJ 5117	58182.00
240 - 400	EPKT 5122	21780.00	EPKT 5373	37346.00	185 - 240	EPKJ 5118	73688.00
-----	-----	-----	-----	-----	300 - 400	EPKJ 5119	82054.00
33 KV (E) XLPE 3 CORE							
25 - 50	EPKT 6093	18532.00	EPKT 6344	25421.00	35 - 70	EPKJ 6115	56884.00
70 - 95	EPKT 6103	19930.00	EPKT 6354	32307.00	95 - 150	EPKJ 6116	71885.00
120 - 185	EPKT 6113	30137.00	EPKT 6364	41875.00	185 - 300	EPKJ 6117	102091.00
240 - 400	EPKT 6123	34173.00	EPKT 6374	55425.00	400	EPKJ 6118	114324.00

3M PRICE LIST (M-SEAL) HEAT SHRINKABLE CABLE JOINTING KIT & ACCESSORIES



L.P. Dated 01-06-2015
w.e.f. 01-06-2015

11 KV (E) SCREENED XLPE CABLES			
SIZE	INDOOR TERMINATIONS RATE	OUTDOOR TERMINATIONS RATE	ST. THROUGH JOINTS RATE
16 - 35	9042.00	13730.00	23257.00
50 - 95	11103.00	15676.00	26031.00
120 - 185	13012.00	16821.00	33163.00
240 - 300	13665.00	18892.00	36229.00
400 - 500	14598.00	19873.00	40183.00
22 KV (E) SCREENED XLPE CABLES			
SIZE	INDOOR TERMINATIONS RATE	OUTDOOR TERMINATIONS RATE	ST. THROUGH JOINTS RATE
25 - 50	10563.00	18688.00	44206.00
70 - 95	13646.00	22437.00	51631.00
120 - 185	17454.00	25705.00	54553.00
240 - 300	19611.00	34178.00	68923.00
400 - 500	20658.00	37584.00	79173.00
33 KV (E) XLPE 3 CORE CABLES			
SIZE	INDOOR TERMINATIONS RATE	OUTDOOR TERMINATIONS RATE	ST. THROUGH JOINTS RATE
35 - 70	18357.00	24790.00	63844.00
95 - 150	19319.00	30632.00	80684.00
185 - 240	29129.00	39628.00	112103.00
300 - 400	32985.00	51699.00	125530.00
500	38210.00	59043.00	140559.00

TERMS & CONDITIONS : (1) Unit Prices are Ex-Works, exclusive of Octroi, Sales Tax, Resale Tax, Freight, Insurance, etc.
(2) The company reserves the right to change prices without any prior notice. • (3) There will be extra price of 10%, if COPPER lugs and ferrules are required. • (4) We can also offer other cable accessories of **Raychem** / 3M make as per your requirement.

Hitesh Electric Corporation



PRICE-LIST

W.E.F. 17TH JULY 2013

17/C, Tavawala Bldg., 1st Flr., 147, Lohar Chawl, Pathakwadi, MUMBAI-400 002.
 Tel. : 22064216 • 22096361 • 39567822 • **TALKFREE : *822 • *353**
 E-Mail : dvcable@gmail.com • hiteshentp@gmail.com



Branch : Shop No. 1, Basement, J. K. Market, 510, Budhwar Peth, Tapkir Galli, Pune-2. • Tel. : (020) 6640 6361 • E-mail : hitesh.dvcable@gmail.com

SCREENED CABLES

D-Link CAT-6
(Length 305 Mtrs.)

"Ever Top" Screened (Shielded) Unarmoured Cable (Rate per Mtr)



PVC INSULATED / PVC SHEATHED, BARE COPPER CONDUCTOR, TINNED COPPER BRAIDING, SCREENED (SHIELDED), FLEXIBLE CABLE, 660/1100 Volt

No. of Cores	7/36 (Tin/Tin) 250/440 Volt	14/36 (Tin/Tin) 250/440 Volt	0.5 Sqmm	0.75 Sqmm	1.0 Sqmm	1.5 Sqmm	2.5 Sqmm	4.0 Sqmm	6.0 Sqmm	10.0 Sqmm
2 Core	13.00	22.00	25.00	31.00	36.00	46.00	65.00	97.00	136.00	216.00
3 Core	16.00	28.00	31.00	38.00	46.00	59.00	88.00	135.00	190.00	319.00
4 Core	19.00	32.00	37.00	46.00	59.00	77.00	116.00	183.00	250.00	422.00
6 Core	26.00	38.00	53.00	62.00	81.00	109.00	168.00	Prices available on request for : <ul style="list-style-type: none"> • Solar Cables • Fibreglass Cables • Fibre Optic Cables • Teflon Cables • Compensating Cables • Thermocouple Cables • RTD Cables • High Tension Wire (HT) • Riser Cables • Camera Wires (3+1) (4+1) • Fire Alarm Cables (RED COLOUR) • Silicone / EPR & Rubber Cables • Welding Cables • D-Link Cables (CAT-5 & CAT-6) • Lift Cables (Flat) • ZHFR Wires 		
7 Core	33.00	48.00	57.00	71.00	90.00	121.00	191.00			
8 Core	36.00	53.00	63.00	90.00	101.00	139.00	216.00			
10 Core	43.00	69.00	80.00	112.00	123.00	168.00	265.00			
12 Core	50.00	79.00	94.00	133.00	152.00	198.00	319.00			
14 Core	58.00	90.00	110.00	147.00	174.00	228.00	367.00			
16 Core	64.00	104.00	124.00	168.00	195.00	257.00	415.00			
19 Core	80.00	126.00	150.00	203.00	230.00	304.00	489.00			
20 Core	83.00	131.00	161.00	213.00	248.00	320.00	522.00			
24 Core	100.00	158.00	193.00	250.00	295.00	380.00	619.00			
25 Core	103.00	165.00	---	---	---	---	---			

"Ever Top" Screened (Shielded) Armoured Cable (Rate per Mtr)



Size	2 Core	3 Core	4 Core	6 Core	7 Core	8 Core	10 Core	12 Core
0.5 sqmm	43.00	52.00	59.00	74.00	81.00	93.00	106.00	118.00
0.75 sqmm	56.00	68.00	77.00	97.00	105.00	118.00	148.00	166.00
1.0 sqmm	62.00	77.00	91.00	117.00	127.00	148.00	174.00	198.00
1.5 sqmm	75.00	93.00	111.00	150.00	159.00	187.00	223.00	256.00
2.5 sqmm	100.00	124.00	155.00	---	---	---	---	---

TERMS & CONDITIONS : • ALL TAXES EXTRA AS APPLICABLE • THIS PRICE-LIST IS SUBJECT TO CHANGE WITHOUT ANY PRIOR NOTICE. • THIS CANCELS ALL OUR PREVIOUS PRICE-LISTS.

ALSO ASK FOR :

BELDEN

SENDING ALL THE RIGHT SIGNALS


CURRENT RATING OF POLY-CAB COPPER, ARMOURD / UNARMOURD CABLES 1100 V GRADE IN AIR

AREA SQ. MM.	TWIN CORE AMP.	3, 3½, 4 CORE AMP.
1.5	20	17
2.5	27	24
4	35	30
6	45	39
10	60	52
16	78	66
25	105	90
35	125	110
50	155	135
70	195	165
95	230	200
120	265	235
150	305	265
185	350	305
240	410	355
300	465	400
400	530	455

ESTIMATED FULL LOAD CURRENT FOR MOTORS

H.P.	KW	Single Phase Amp.	Three Phase Amp	Recommended Cable Size Sq. MM. Copper / Aluminium
0.5	0.37	3.7	1.0	1.5 2.5
0.75	0.55	5.0	1.3	1.5 2.5
1.00	0.75	6.5	1.9	1.5 2.5
1.50	1.10	11.5	2.6	1.5 2.5
2.0	1.50	--	3.7	1.5 2.5
3.0	2.20	--	4.8	1.5 2.5
5.0	3.70	--	7.8	1.5 2.5
7.5	5.50	--	11.2	1.5 2.5
10.0	7.50	--	16.0	2.5 4.0
12.5	9.30	--	19.0	2.5 4.0
15.0	11.00	--	22.0	4.0 6.0
20.0	15.00	--	29.0	6.0 10.0
25.0	18.50	--	34.0	10.0 16.0
30.0	22.00	--	41.0	10.0 16.0
35.0	26.00	--	47.0	16.0 25.0
40.0	30.00	--	54.0	16.0 25.0
50.0	37.00	--	67.0	25.0 35.0
60.0	45.00	--	80.0	35.0 50.0
75.0	55.00	--	97.0	50.0 70.0
100.0	75.00	--	131.0	70.0 95.0
125.0	90.00	--	152.0	95 120/150
150.0	110.0	--	191.0	150 185
180.0	132.0	--	229.0	185 240
192.0	143.0	--	248.0	185 240

The above Data is Indicative and may be revised without prior information Polycab will not be liable for any damages out of incorrect application



AUTHORISED DISTRIBUTORS



147, Lohar Chawl, 9, Tavawala Building,
1st Floor, MUMBAI-400 002.
Tel. : 2206 4216, 3956 7822, 2209 6361.
E-mail : dvcable@gmail.com,
Web. : www.dvcable.in

NOMINAL AREA OF CONDUCTOR IN SQ.MM. SIZE	CURRENT RATING OF BUILDING WIRES & INDUSTRIAL FLEXIBLES AMP.	3, 3.5, 4 Core 1.1 kV, PVC CABLES WITH Aluminium conductors Laid		3, 3.5, 4 Core 1.1 kV, XLPE CABLES WITH Aluminium conductors Laid		3 Core-3.3 kV, 6.6 kV, 11 kV, PVC Cables with Aluminium conductors Laid		1 Core-3.3k V / 6.6 kV (E) 6.6 / 6.6 kV (UE) 6.35/11kV (E) XLPE Cables with Al.conductors laid		3 Core-1.9 / 3.3 kV (E), 3.3 / 3.3 kV (UE), 3.8 / 6.6 kV (E), 6.35 / 11 kV (E) - 35 to 400 Sq.mm, 11/11 kV(UE) - 70 to 400 Sq.mm, 12.7 / 22 kV (E), 19 / 33 kV (E)-95 to 400 Sq.mm and 33 / 33kV (UE) 120 to 400 Sq.mm XLPE Cables with Aluminium conductors laid	
		AMP.	AMP.	AMP.	AMP.	AMP.	AMP.	AMP.	AMP.	AMP.	AMP.
		IN AIR	IN GROUND	IN AIR	IN GROUND	IN AIR	IN GROUND	IN AIR	IN GROUND	IN AIR	IN GROUND
0.5	4	---	---	---	---	---	---	---	---	---	---
0.75	7	---	---	---	---	---	---	---	---	---	---
1	12	---	---	---	---	---	---	---	---	---	---
1.5	16	13	16	---	---	---	---	---	---	---	---
2.5	22	18	21	---	---	---	---	---	---	---	---
4	29	23	28	31	34	---	---	---	---	---	---
6	37	30	35	50	43	---	---	---	---	---	---
10	51	40	46	67	57	---	---	---	---	---	---
16	68	51	60	70	73	---	---	---	---	---	---
25	86	70	76	96	94	---	---	---	---	---	---
35	110	86	92	117	113	86	86	145	120	---	---
50	145	105	110	142	133	105	100	170	140	125	115
70	215	130	135	179	164	130	125	215	175	150	130
95	260	155	165	221	196	155	150	260	205	190	160
120	305	180	185	257	223	180	170	305	235	230	190
150	355	205	210	292	249	205	195	345	260	260	220
185	415	240	235	337	282	235	220	395	295	295	245
240	500	280	275	399	326	270	250	470	340	335	275
300	585	315	305	455	367	310	280	540	385	395	315
400	695	375	335	530	418	365	315	630	440	450	355
500	500	410	350	612	470	420	355	730	495	520	400
630	905	---	---	707	529	---	---	840	560	---	---
800	1050	---	---	---	---	---	---	960	620	---	---
1000	1185	---	---	---	---	---	---	1070	680	---	---

NOTE : 1) For Approx. current ratings for POWER CABLES with Copper conductor increase the above ratings by 25%.

NOTE : 2) The above ratings are normal ratings and will subject to derating factors for various conditions as per IS: 3961