



17/C, Tavawala Bldg., 1st Flr., 147, Lohar Chawl, Pathakwadi, MUMBAI-400 002.
 Tel. : 2206 4216 • 2209 6361 • TALKFREE : *014 • *124
 E-Mail : dvcable@gmail.com • dharmesh@dvcable.in


POLYCAB PRICE-LIST

POLYCAB SINGLE CORE INDUSTRIAL CABLE (MULTISTRAND) 1100 V.							POLYCAB JELLYFILLED TELEPHONE CABLES		POLYCAB TELEPHONE & SWITCHBOARD CABLES		
SQ. MM.	AMP.	FRLF (90 Mtrs)	FRLF (200 Mtrs)	FRLF (300 Mtrs)	FRLS-H (200 Mtrs)	FRLS-H (300 Mtrs)	NO. OF PAIRS	ARMOURED (0.50 mm)	NO. OF PAIRS	UN-ARMOURED (0.50 MM.)	UN-ARMOURED (0.40 MM.)
		(Rate Per Coil)	(Rate Per Coil)	(Rate Per Coil)	(Rate Per Coil)	(Rate Per Coil)					
0.75	7	785	-----	2615	-----	2745	Rate per Meter				
1.00	12	1025	-----	3415	-----	3585	5	108.00	1	7.55	6.20
1.50	16	1535	-----	5115	-----	5370	10	160.00	2	13.00	10.60
2.50	22	2465	-----	8215	-----	8625	20	244.00	3	19.25	14.25
4.00	29	3680	8180	-----	8590	-----	50	495.00	4	25.15	17.50
6.00	37	5510	12245	-----	12860	-----	100	882.00	5	31.50	21.90
10.00	45	9740	21650	-----	22730	-----	200	1656.00	10	60.10	-----
16.00	68	15600	34670	-----	36400	-----			20	119.00	-----
									50	335.00	-----
									100	643.00	-----

POLYCAB CO-AXIAL CABLES				POLYCAB LAN (COMPUTER CABLES)			POLYCAB SOLID ALUMINIUM CONDUCTOR FLAT SERVICE CABLES			POLYCAB 3 CORE FLAT SUBMERSIBLE CABLES 1100 V						
ITEM	RATE PER COIL OF			SIZE	UTP UNARMOURED Rate Per 305 Mtrs.	UTP ARMOURED RATE PER MTR.	CORES	SQ. MM.	RATE PER 100 MTRS.	Conductor Area SQ. MM.	Conductor Construction (No./Dia. mm.)	RATE PER METER				
	100 Mtrs.	305 Mtrs.	PER Mtr.													
RG-59	Unarmoured	Unarmoured	Armoured	CAT-5E	8045	85.50	2	1.5	1495	1.50	22/3	66.00				
RG-06 CCS	1775	5415	77.00	CAT-6	8785	96.50	2	2.5	2185	2.50	36/3	107.00				
RG-06	1600	4890	74.00	POLYCAB INDUSTRIAL SPEAKER WIRE (OXYGEN FREE) (RATE PER 90 MTRS COIL)				2	4	2980	4.00	56/3	155.00			
RG-06	2245	6850	84.00	SIZE	RATE	SIZE	RATE	2	6	4135	6.00	84/0.3	241.00			
RG-11	4925	15015	119.00	23/38	1205.00	23/36	1710.00	2	10	6350	10.00	80/0.4	411.00			
RG-11 CCS	3295	10050	109.00	40/38	2010.00	40/36	2690.00						16.00	126/0.4	678.00	
				70/38	3155.00	70/36	4705.00						25.00	196/0.4	1083.00	
														35.00	276/0.4	1518.00

POLYCAB CCTV CO-AXIAL CABLES				
UNARMOURED				ARMOURED
SIZE	90 MTRS. COIL	180 MTRS. COIL	300 MTRS. COIL	RATE PER MTR.
3 + 1	3290	6580	10967	-----
4 + 1	3620	7240	12067	105.00

TERMS & CONDITIONS :
(1) The above rates are exclusive of all taxes.
(2) Subject to change without prior notice.
(3) This cancels all our previous price-lists.



POLYCAB PRICE-LIST

POLYCAB INDUSTRIAL BRAIDED - UNARMoured SCREENED CABLES 1100 V.										POLYCAB WELDING CABLES 1100 V. TPR Insulation as per IS 9857		
CORES	16/.20 MM.	24/.20 MM.	32/.20 MM.	30/.25 MM.	50/.25 MM.	56/.3 MM.	84/.3 MM.	80/.04 MM.	126/.4 MM.	Conductor Area SQ. MM.	Current Carrying Capacity	RATE PER METER
	0.5 Sq.MM.	0.75 Sq.MM.	1.0 Sq.MM.	1.5 Sq.MM.	2.5 Sq.MM.	4 Sq. MM.	6 Sq. MM.	10 Sq. MM.	16 Sq. MM.			
2	64.00	75.00	83.00	106.00	155.00	225.00	313.00	605.00	1008.00	16.00	120	250.00
3	75.00	90.00	96.00	135.00	192.00	297.00	364.00	759.00	1187.00	25.00	160	359.00
4	90.00	110.00	124.00	169.00	260.00	364.00	529.00	1084.00	1733.00	35.00	230	488.00
6	124.00	161.00	182.00	241.00	361.00	-----	-----	-----	-----	50.00	400	691.00
7	133.00	175.00	195.00	259.00	417.00	-----	-----	-----	-----	70.00	600	985.00
8	158.00	205.00	230.00	296.00	472.00	-----	-----	-----	-----	95.00	700	1301.00
10	190.00	250.00	295.00	373.00	550.00	-----	-----	-----	-----	120.00	1100	1666.00
12	214.00	282.00	348.00	437.00	612.00	-----	-----	-----	-----			
14	236.00	320.00	400.00	512.00	711.00	-----	-----	-----	-----			
16	273.00	354.00	508.00	562.00	819.00	-----	-----	-----	-----			
19	310.00	415.00	560.00	668.00	1124.00	-----	-----	-----	-----			
24	387.00	494.00	616.00	824.00	1370.00	-----	-----	-----	-----			

Str/Solid Cu PVC/XLPE Insulated Core/Pair/Triad/Quad laid up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/Strip Armoured PVC Outer Sheathed Instrumentation.

Str/Solid Cu PVC/XLPE Insulated Pair/Triad/Quad laid up together with Al Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable

OVERALL SHIELDED-ARMoured INSTRUMENTATION CABLES

OVERALL SHIELDED-UNARMoured INSTRUMENTATION CABLES

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE		
PAIR	1	0.5	81	0.75	92	1	100	1.5	121	2.5	164	PAIR	1	0.5	47	0.75	57	1	68	1.5	80	2.5	112
PAIR	2	0.5	119	0.75	142	1	160	1.5	200	2.5	284	PAIR	2	0.5	74	0.75	92	1	112	1.5	157	2.5	214
PAIR	3	0.5	142	0.75	173	1	201	1.5	258	2.5	374	PAIR	3	0.5	97	0.75	123	1	157	1.5	203	2.5	304
PAIR	6	0.5	220	0.75	283	1	336	1.5	446	2.5	657	PAIR	6	0.5	168	0.75	214	1	304	1.5	383	2.5	573
PAIR	10	0.5	321	0.75	410	1	502	1.5	676	2.5	1034	PAIR	10	0.5	247	0.75	350	1	450	1.5	608	2.5	945
PAIR	12	0.5	361	0.75	474	1	584	1.5	791	2.5	1213	PAIR	12	0.5	295	0.75	404	1	530	1.5	720	2.5	1113
PAIR	16	0.5	443	0.75	598	1	744	1.5	1015	2.5	1581	PAIR	16	0.5	383	0.75	516	1	697	1.5	945	2.5	1461
TRAID	1	0.5	97	0.75	114	1	123	1.5	154	2.5	215	TRAID	1	0.5	63	0.75	71	1	89	1.5	110	2.5	162

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.



PVC / XLPE ARMoured Cables with COPPER Conductor 1100 V. Grade confirming to IS : 7098 (Pt-1) 1988

COPPER ARMoured CABLES • 2XWY/2XFY						
NO. OF CORES	1.5 SQ. MM.	2.5 SQ. MM.	CROSS SECTION IN SQ. MM.	2 CORE	3 CORE	4 CORE
2	85.00	110.00	4	144.00	187.00	236.00
3	104.00	140.00	6	192.00	256.00	330.00
4	124.00	173.00	10	306.00	412.00	530.00
5	145.00	208.00	16	436.00	582.00	764.00
6	166.00	242.00	CROSS SECTION IN SQ. MM.			
7	184.00	273.00	25	953.00	1148.00	1256.00
8	208.00	307.00	35	1311.00	1506.00	1731.00
10	267.00	359.00	50	1788.00	2091.00	2369.00
12	307.00	420.00	70	2540.00	2959.00	3394.00
14	350.00	485.00	95	3647.00	4261.00	4881.00
16	361.00	547.00	120	4583.00	5459.00	6144.00
19	419.00	641.00	150	5720.00	6597.00	7668.00
24	524.00	803.00	185	7039.00	8230.00	9430.00
27	585.00	895.00	240	9069.00	10570.00	12155.00
30	670.00	1031.00	300	11291.00	13168.00	15145.00
37	817.00	1259.00	400	14816.00	17132.00	19871.00
44	992.00	1557.00				
61	1355.00	2122.00				

PVC/XLPE ARMoured Cables with ALUMINIUM Conductor 650/1100 V. grade confirming to IS : 7098 (Part-1) 1988

Cross Section in SQ. MM.	ALUMINIUM ARMoured CABLES • A2XWY/A2XFY				
	1 CORE	2 CORE	3 CORE	3.5 CORE	4 CORE
2.5	-----	73.00	82.00	-----	94.00
4	-----	80.00	88.00	-----	101.00
6	-----	93.00	102.00	-----	115.00
10	-----	110.00	129.00	-----	144.00
16	72.00	126.00	137.00	-----	164.00
25	93.00	142.00	185.00	207.00	224.00
35	105.00	164.00	219.00	247.00	274.00
50	128.00	204.00	277.00	320.00	354.00
70	163.00	273.00	373.00	436.00	479.00
95	184.00	351.00	463.00	525.00	584.00
120	220.00	417.00	554.00	657.00	716.00
150	262.00	504.00	683.00	777.00	882.00
185	320.00	628.00	835.00	970.00	1095.00
240	393.00	817.00	1068.00	1221.00	1398.00
300	478.00	996.00	1290.00	1496.00	1686.00
400	601.00	1254.00	1640.00	1905.00	2142.00

SIZE	COPPER ARMoured CABLES • 2XWY/2XFY	RATE PER METER
5 Core x 4 Sq. mm.		311.00
5 Core X 6 Sq. mm		432.00
5 Core x 10 Sq. mm		783.00
5 Core x 16 Sq. mm		1051.00
5 Core x 25 Sq. mm		1715.00
5 Core x 35 Sq.		2368.00
5 Core x 50 Sq. mm		3240.00
6 Core x 4 Sq. mm		373.00
6 Core x 6 Sq. mm		504.00
7 Core x 4 Sq. mm		436.00
7 Core x 6 Sq. mm		601.00

H. T. XLPE ARMoured ALUMINIUM CABLES				RATE PER METER
Cond. Cross Section in SQ. MM.		6.6 KV (UE) 11 KV (E)	22 KV (E)	33 KV (E)
3	x 35	571.00	-----	-----
3	x 50	646.00	-----	-----
3	x 70	767.00	-----	-----
3	x 95	908.00	1222.00	1629.00
3	x 120	1047.00	1394.00	1858.00
3	x 150	1170.00	1538.00	1968.00
3	x 185	1362.00	1724.00	2173.00
3	x 240	1633.00	2021.00	2486.00
3	x 300	1899.00	2317.00	2792.00
3	x 400	2388.00	2730.00	3232.00

NOTE : ROUND WIRE ARMOURING FOR H.T. CABLES ADD 25% EXTRA IN ABOVE RATES.

TERMS & CONDITIONS : (1) The above rates are exclusive of all taxes. • (2) Subject to change without prior notice. • (3) This cancels all our previous price-lists.

Hitesh Electric Corporation



17/C, Tavawala Bldg., 1st Flr., 147, Lohar Chawl, Pathakwadi, MUMBAI-400 002.
Tel. : 22064216 • 22096361 • **TALKFREE : *353 • *822**
E-Mail : dvcable@gmail.com

PRICE-LIST
W.E.F. 1st NOV. 2017

DISTRIBUTORS :



Branch : Shop No. 1, Basement, J. K. Market, 510, Budhwar Peth, Tapkir Galli, Pune-2. • Tel.: (020) 6640 6361 • E-mail : hitesh.dvcable@gmail.com

BALTRON Screened (Shielded) Unarmoured Cable (Rate per Mtr)



HSN CODE : 85444920

Available
RS-485 CABLE

PVC INSULATED / PVC SHEATHED, BARE COPPER CONDUCTOR, TINNED COPPER BRAIDING, SCREENED (SHIELDED), FLEXIBLE CABLE, 660/1100 Volt

No. of Cores	7/36 (Tin/Tin) 250/440 Volt	14/36 (Tin/Tin) 250/440 Volt	0.5 Sqmm	0.75 Sqmm	1.0 Sqmm	1.5 Sqmm	2.5 Sqmm	4.0 Sqmm	6.0 Sqmm	10.0 Sqmm
2 Core	13.00	22.00	25.00	31.00	36.00	46.00	65.00	97.00	136.00	216.00
3 Core	16.00	28.00	31.00	38.00	46.00	59.00	88.00	135.00	190.00	319.00
4 Core	19.00	32.00	37.00	46.00	59.00	77.00	116.00	183.00	250.00	422.00
6 Core	26.00	38.00	53.00	62.00	81.00	109.00	168.00	Prices available on request for : <ul style="list-style-type: none"> • Solar Cables • Fibreglass Cables • Fibre Optic Cables (FTTH) • Teflon Cables • Compensating Cables • Thermocouple Cables • RTD Cables • High Tension Wire (HT) • Riser Cables • Camera Wires (3+1) (4+1) • Fire Alarm Cables (RED COLOUR) • Silicone / EPR & Rubber Cables • Welding Cables • D-Link Cables (CAT-5 & CAT-6) • Lift Cables (Flat) • ZHFR Wires 		
7 Core	33.00	48.00	57.00	71.00	90.00	121.00	191.00			
8 Core	36.00	53.00	63.00	90.00	101.00	139.00	216.00			
10 Core	43.00	69.00	80.00	112.00	123.00	168.00	265.00			
12 Core	50.00	79.00	94.00	133.00	152.00	198.00	319.00			
14 Core	58.00	90.00	110.00	147.00	174.00	228.00	367.00			
16 Core	64.00	104.00	124.00	168.00	195.00	257.00	415.00			
19 Core	80.00	126.00	150.00	203.00	230.00	304.00	489.00			
20 Core	83.00	131.00	161.00	213.00	248.00	320.00	522.00			
24 Core	100.00	158.00	193.00	250.00	295.00	380.00	619.00			
25 Core	103.00	165.00	---	---	---	---	---			

BALTRON Screened (Shielded) Armoured Cable (Rate per Mtr)



Size	2 Core	3 Core	4 Core	6 Core	7 Core	8 Core	10 Core	12 Core
0.5 sqmm	43.00	52.00	59.00	74.00	81.00	93.00	106.00	118.00
0.75 sqmm	56.00	68.00	77.00	97.00	105.00	118.00	148.00	166.00
1.0 sqmm	62.00	77.00	91.00	117.00	127.00	148.00	174.00	198.00
1.5 sqmm	75.00	93.00	111.00	150.00	159.00	187.00	223.00	256.00
2.5 sqmm	100.00	124.00	155.00	---	---	---	---	---

TERMS & CONDITIONS : • GST EXTRA AS APPLICABLE • THIS PRICE-LIST IS SUBJECT TO CHANGE WITHOUT ANY PRIOR NOTICE. • THIS CANCELS ALL OUR PREVIOUS PRICE-LISTS.

AUTHORISED DEALERS :

BELDEN

SENDING ALL THE RIGHT SIGNALS



PRICE - LIST FOR CABLE TRAYS (W.E.F. 1st JULY 2017) Standard Length 2.5 Mtrs. Approx 8 feet

M.S. / G.I. / ALUMINIUM / PERFORATED TYPE CABLE TRAYS RATE PER METER

Size in MM width	18 SWG (APP. 1.20 MM.)			16 SWG (APP. 1.60 MM.)			14 SWG (APP. 2.00 MM.)		
	HEIGHT			HEIGHT			HEIGHT		
	25 MM	50 MM	75 MM	25 MM	50 MM	75 MM	25 MM	50 MM	75 MM
50 x 15 H	80	-	-	-	-	-	-	-	-
50	100	150	200	132	198	264	160	240	320
75	125	175	225	165	231	297	200	280	360
100	150	200	250	198	264	330	240	320	400
150	200	250	300	264	330	396	320	400	480
200	250	300	350	330	396	462	400	480	560
250	300	350	400	396	462	528	480	560	640
300	350	400	450	462	528	594	560	640	730
350	400	450	500	528	594	660	640	720	800
400	450	500	550	594	660	726	720	800	880
450	500	550	600	660	726	792	800	880	960
500	550	600	650	726	792	858	880	960	1040
600	650	700	750	858	924	990	1040	1120	1200
750	-	-	900	-	1122	1188	-	1360	1440
1000	-	-	1150	-	-	-	-	1760	1840

FLOOR TRUNKING / DUCT / RACEWAY / MADE G.P. SHEETS / POWDER COATED

Size in MM width	18 SWG (APP. 1.20 MM.)			16 SWG (APP. 1.50 MM.)			14 SWG (APP. 2.00 MM.)		
	BASE HEIGHT		COVER	BASE HEIGHT		COVER	BASE HEIGHT		COVER
	40 MM	50 MM		40 MM	50 MM		40 MM	50 MM	
50	130	150	85	172	198	112	210	240	136
75	155	175	110	205	231	145	250	280	176
100	180	200	135	238	264	178	290	320	216
150	230	250	185	304	330	244	370	400	296
200	280	300	235	370	396	310	450	480	376
250	330	350	285	436	462	376	530	560	456
300	380	400	335	502	528	442	610	640	536
400	440	500	435	581	660	574	770	800	696
Partition	60*	65*	-	80*	90*	-	90*	100*	-
Inside Bend	30*	30*	-	40*	40*	-	48*	48*	--

Coupler Plates with Hardware : 40 x 200 mm = 16/- per each
 70 x 200 mm = 30/- per each
 Cable Tray Support : 'C' Channel 'Z' Channel 'L' Angle

G.I. / HOT DEEP GALVANISED LADDER TYPE CABLE TRAYS - (RATE PER METER)

Size in MM width	16 SWG (APP. 1.6 MM.)			14 SWG (APP. 2.0 MM.)			12 SWG (APP. 2.5 MM.)			10 SWG (APP. 3 MM.)		
	HEIGHT			HEIGHT			HEIGHT			HEIGHT		
	50 MM	75 MM	100 MM	50 MM	75 MM	100 MM	50 MM	75 MM	100 MM	50 MM	75 MM	100 MM
100	254	327	393	308	396	476	385	495	595	462	595	714
150	270	345	410	330	417	497	411	521	621	520	660	745
200	290	360	427	350	440	518	440	550	647	550	690	777
300	330	395	461	390	480	560	490	600	699	620	755	839
400	360	430	496	435	520	601	540	651	751	682	820	901
450	375	450	513	454	540	622	570	680	777	715	855	933
500	391	465	530	475	562	642	595	710	803	750	890	964
600	425	500	564	516	604	684	645	755	855	815	952	1026
750	486	550	616	578	670	747	725	835	934	911	1050	1120
800	494	594	633	599	720	768	750	899	960	945	1080	1152
900	529	602	608	641	729	809	801	911	1011	962	1093	1213
1000	570	635	702	682	770	851	853	963	1062	1075	1215	1276

Standard Length 2.5 Mtrs. Approx 8 feet

- #### CABLE TRAY SUPPORT
- 1) GI RUNGS 35 X 15 MM
 - 2) GI Z CHANNEL 30 X 35 X 30 MM
 - 3) GI THREADED ROAD 8 MM
 - 4) GI THREADED ROD 10 MM
 - 5) COUPLING FOR RODS
 - 6) ANCHOR FASTNER

STANDARD TECHNICAL SPECIFICATIONS : For Ladder Type Cable Trays
Side Channel : 50 x 15 mm / 75 x 15 mm
Rungs Dimension : 35 x 15 mm
Rungs Interval : 250 mm C/C
Glavnising : Hotdeep (AS per IS : 2629 / 4759)

GST EXTRA AS APPLICABLE



PRICE-LIST W.E.F. MAY 2015

Branch : Shop No. 1, Basement, J. K. Market, 510, Budhwar Peth, Tapkir Galli, Pune-2.
Tel. : (020) 6640 6361

Raychem HEAT SHRINKABLE CABLE JOINTING KIT & ACCESSORIES

SIZE	INDOOR KIT NO.	RATE	OUTDOOR KIT NO.	RATE	SIZE	ST. JOINT KIT NO.	RATE
11 KV (E) XLPE 3 CORE							
16 - 35	EPKT 3091	9558.00	EPKT 3342	15694.00	16 - 35	EPKJ 3115	26028.00
50 - 95	EPKT 3101	11844.00	EPKT 3352	18249.00	50 - 95	EPKJ 3116	29139.00
120 - 185	EPKT 3111	14175.00	EPKT 3362	19594.00	120 - 185	EPKJ 3117	38581.00
240 - 300	EPKT 3121	15121.00	EPKT 3372	22033.00	240 - 400	EPKJ 3118	42195.00
400	EPKT 3131	15971.00	EPKT 3382	23173.00	-----	-----	-----
22 KV (E) XLPE 3 CORE							
16 - 50	EPKT 5092	12231.00	EPKT 5343	19991.00	25 - 50	EPKJ 5115	47206.00
70 - 120	EPKT 5102	15156.00	EPKT 5353	24524.00	70 - 95	EPKJ 5116	55134.00
150 - 185	EPKT 5112	18514.00	EPKT 5363	28090.00	120 - 150	EPKJ 5117	58182.00
240 - 400	EPKT 5122	21780.00	EPKT 5373	37346.00	185 - 240	EPKJ 5118	73688.00
-----	-----	-----	-----	-----	300 - 400	EPKJ 5119	82054.00
33 KV (E) XLPE 3 CORE							
25 - 50	EPKT 6093	18532.00	EPKT 6344	25421.00	35 - 70	EPKJ 6115	56884.00
70 - 95	EPKT 6103	19930.00	EPKT 6354	32307.00	95 - 150	EPKJ 6116	71885.00
120 - 185	EPKT 6113	30137.00	EPKT 6364	41875.00	185 - 300	EPKJ 6117	102091.00
240 - 400	EPKT 6123	34173.00	EPKT 6374	55425.00	400	EPKJ 6118	114324.00

3M PRICE LIST (M-SEAL) HEAT SHRINKABLE CABLE JOINTING KIT & ACCESSORIES



L.P. Dated MARCH 2018
w.e.f. MARCH 2018

11 KV (E) SCREENED XLPE CABLES			
SIZE	INDOOR TERMINATIONS RATE	OUTDOOR TERMINATIONS RATE	ST. THROUGH JOINTS RATE
16 - 35	10445.00	15858.00	26861.00
50 - 95	12824.00	18106.00	30065.00
120 - 185	15028.00	19428.00	38303.00
240 - 300	15783.00	21820.00	41845.00
400 - 500	16861.00	22953.00	46411.00
22 KV (E) SCREENED XLPE CABLES			
SIZE	INDOOR TERMINATIONS RATE	OUTDOOR TERMINATIONS RATE	ST. THROUGH JOINTS RATE
25 - 50	12200.00	21585.00	51059.00
70 - 95	15762.00	25915.00	59633.00
120 - 185	20160.00	29689.00	63009.00
240 - 300	22650.00	39475.00	79606.00
400 - 500	23860.00	43410.00	91445.00
33 KV (E) XLPE 3 CORE CABLES			
SIZE	INDOOR TERMINATIONS RATE	OUTDOOR TERMINATIONS RATE	ST. THROUGH JOINTS RATE
35 - 70	21203.00	28633.00	73740.00
95 - 150	22314.00	35380.00	93190.00
185 - 240	33645.00	45771.00	129479.00
300 - 400	38097.00	59712.00	144987.00
500	44133.00	68196.00	162346.00

TERMS & CONDITIONS : (1) Unit Prices are Ex-Works, **GST EXTRA AS APPLICABLE. HSN CODE : 85469090**
(2) The company reserves the right to change prices without any prior notice. • (3) There will be extra price of 10%, if COPPER lugs and ferrules are required. • (4) We can also offer other cable accessories of **Raychem / 3M** make as per your requirement.